



ASSOCIATION LILLOISE DE L'INTERNAT
& DU POST-INTERNAT EN PSYCHIATRIE

GEPS

GROUPEMENT D'ÉTUDES ET
DE PRÉVENTION DU SUICIDE

Sous
l'égide Avec le
 soutien de



PROGRAMME PAPAGENO

Nathalie Pauwels
28 juin 2016

Pourquoi parler du suicide
dans les media ?

PROLOGUE



LA DIALECTIQUE DE LA DESTIGMATISATION

REVENDICATION



NORMALISATION





LA COLLABORATION AVEC LES MEDIA COMME PARADIGME DE PRÉVENTION DU SUICIDE

1



L'ÉTAT D'URGENCE





Fédération
Régionale de Recherche
en Psychiatrie et Santé Mentale
Hauts-de-France



GROUPEMENT D'ETUDES ET
DE PREVENTION DU SUICIDE



ASSOCIATION LILLOISE DE L'INTERNAT
& DU POST-INTERNAT EN PSYCHIATRIE

Sous
l'égide
de




MINISTÈRE
DES AFFAIRES SOCIALES
ET DE LA SANTÉ



Avec le
soutien de


Parrainé par Patrick Poivre d'Arvor

LES JOURNALISTES ONT
UN RÔLE À JOUER EN MATIÈRE
DE PRÉVENTION DU SUICIDE




L'EFFET WERTHER

Les souffrances
du jeune
Werther de
Goethe, 1774




Suicide de
Marilyn
Monroe, 1962



SUICIDES
USA + 12,5%
GB + 10%
LA + 40%


Motto, 1967
Phillips, 1975

Médiatisation
d'une nouvelle
méthode de
suicide par
combustion de
charbon de
bois, 1998



87% des personnes ayant
survécu évoquent avoir choisi
cette méthode suite à la lecture
d'un article de presse

Yip, 2007



L'EFFET WERTHER


À échelon individuel

- Identification (verticale et horizontale)

*Imitation, contagion,
copycat, modelling*

■ Dépend des caractéristiques du traitement médiatique

- Qualitatives
- Quantitatives



JOURNALISTES : UNE INFLUENCE TANGIBLE EN MATIÈRE DE SUICIDE



Role of media reports in completed and prevented suicide: Werther v. Papageno effects

Thomas Niederkrotenthaler, Martin Voracek, Arno Herberth, Benedikt Till, Markus Strauss, Elmar Etzersdorfer, Brigitte Eisenwort and Gerold Sonneck

Background
Media reporting of suicide has repeatedly been shown to trigger suicidal behaviour. Few studies have investigated the associations between specific media content and suicide rates. Even less is known about the possible preventive effects of suicide-related media content.

Aims
To test the hypotheses that certain media content is associated with an increase in suicide, suggesting a so-called Werther effect, and that other content is associated with a decrease in suicide, conceptualised as a Papageno effect. Further, to identify classes of media articles with similar reporting profiles and to test for associations between these classes and suicide.

Method
Content analysis and latent class analysis (LCA) of 497 suicide-related print media reports published in Austria between 1 January and 30 June 2005. Ecological study to identify associations between media item content and short-term changes in suicide rates.

Results
Repetitive reporting of the same suicide and the reporting of suicide myths were positively associated with suicide rates. Coverage of individual suicidal ideation not accompanied by suicidal behaviour was negatively associated with suicide rates. The LCA yielded four classes of media reports, of which the mastery of crisis class (articles on individuals who adopted coping strategies other than suicidal behaviour in adverse circumstances) was negatively associated with suicide, whereas the expert opinion class and the epidemiological facts class were positively associated with suicide.

Conclusions
The impact of suicide reporting may not be restricted to harmful effects; rather, coverage of positive coping in adverse circumstances, as covered in media items about suicidal ideation, may have protective effects.

Declaration of interest
None.

Evidence suggests that there is an increase in suicides following media reports of suicide, which is frequently referred to as copycat behaviour or as the Werther effect,¹ although the effect size is smaller than for other psychosocial risk factors for suicide.² The risk is thought to depend not only on reader characteristics,^{3,4} but also on media content.⁵⁻⁷ In order to promote safe media content, the World Health Organization (WHO) and national agencies have developed guidelines for the reporting of suicides.^{5,6} The guidelines list reporting characteristics that may either prevent or trigger suicides, thus serving as educational material for journalists and editors. But most of the recommendations put forth in these guidelines have not yet been empirically tested.⁷ In particular, there is a lack of knowledge about protective reporting characteristics, although the suicide-protective potential of reporting of positive coping in adverse circumstances has been discussed on a theoretical basis.⁸ Specifically, it has been found that media items referring to suicidal ideation are associated with a lower risk of a post-report increase in suicide than other media items.⁹

In the present study, we performed a content analysis of suicide-related media reports. To identify potentially protective and harmful reporting characteristics we tested associations between specific components of media reports, and also classes of reports with similar reporting profiles, and short-term changes in suicide rates. We hypothesised that changes in suicide rates following the publication of media items would vary with the circulation rates of the media items in the population. Based on Papageno's overcoming of a suicidal crisis in Mozart's opera *The Magic Flute*, we conceptualised any suicide-protective impact of media reporting as a Papagano effect. In Mozart's opera, Papageno becomes suicidal upon fearing the loss of his beloved Papagena;

however, he refrains from suicide because of three boys who draw his attention to alternative coping strategies.^{8,9}

Method

Sample of media reports

We obtained all reports from the 11 largest Austrian nationwide newspapers that included the term *suicide* between 1 January and 30 June 2005 from the Austrian Press Agency. Each of these newspapers has coverage rates exceeding 1% of the population. Articles using 'self-murder' (original search term: *selfmord*) or 'free death' (*freiheit*) were also included, because of their frequent use in German. A total of 1055 articles were found. After removing 1055 articles, We excluded items that used suicide only as a metaphor ($n=92$), were about suicide bombing ($n=381$), mentioned suicide briefly (<50% of the article) but were on topics not related to suicide ($n=113$) or were located in the movie or television listings or in the classified advertisements ($n=58$). The final sample comprised 497 items.

Content analysis of media items


Basic item characteristics
Several media reporting characteristics have previously been shown to be associated with an increase in suicides. These characteristics are: quantity of reporting,^{1,4} main focus of the item,^{1,3} reported suicide method,¹⁰⁻¹² prominence of the item,¹³ and fictionality of the item.¹⁴ These codes were conceptualised as a code family 'basic item characteristics'. Each of the codes comprised several subcodes that were defined in accordance with

Effet Papageno

Niederkrotenthaler, 2005



LES MEDIA COMME PILIER DE LA PRÉVENTION DU SUICIDE



Suicides are preventable

Restricting access to means

Responsible media reporting

Introducing alcohol policies

Effective preventive measures

Early identification and treatment

Training of health workers

Follow-up care and community support




Key is a comprehensive multisectoral approach

Most countries currently do not have a national suicide prevention strategy



10% reduction of suicide rates is the target in the Mental Health Action Plan 2013-2020



World Health Organization

11 RECOMMANDATIONS DE L'OMS

Les journalistes méconnaissent ce rôle

Ils sont réfractaires à une attitude prescriptive

Des tensions existent entre les contraintes
sanitaire et journalistique


INDIQUER CE QU'IL FAUDRAIT
FAIRE... N'EST PAS SUFFISANT

Faible application après
simple diffusion

Tatum, 2010; Fu, 2011; Bonhanna &
Wang, 2012; Chandra, 2013

Bonne application
si intégrées dans
un programme dédié

Michel, 2000; Pirkis, 2010



FALLAIT-IL EN RESTER LÀ ?

2





Papageno

PROGRAMME

- Sensibiliser les journalistes à un traitement médiatique responsable du suicide

Oser parler du suicide,
mais de façon
responsable



LES RENCONTRES-FORMATION



Carrefour d'actualité à Lille, Décembre 2013

Des étudiants en journalisme

- Investigations sur un thème touchant au suicide dans ses dimensions sociétales

Des internes en psychiatrie


- Déconstruction des mythes communs entourant le suicide

Des experts


- Corrigent, guident, alimentent



L'EMERGENCE D'UNE NOUVELLE POSTURE



BILAN



Interventions


- Écoles agrées (n=14)
 - Intervention réalisée (n=5)
 - Intervention planifiée (n=3)
 - Refus d'intervention (n=2)
- Formations non agrées
 - Master communication (n=1)

**Soit 283 futurs journalistes
sensibilisés et
35 internes en psychiatrie**

EFFETS COROLLAIRES



- Cafés-psy
- Rencontres-immersion
au sein de services de
soin psychiatrique
(n=74)





EFFETS ET PERSPECTIVES

3



LES AXES DE DÉVELOPPEMENT




Étudiants en journalisme

- Rencontres-formation
- Rencontres en immersion
- Café psy




Journalistes

- Recommandations OMS
- Formations-flash
- Alertes media




Grand public
Communication autour
du suicide




Internes et psychiatres

- Alertes media
- Media training
- Recommandations journalistes




Expertise

- Task-force IASP
- Plateforme de référence




Papageno
Insertion d'un encart
de prévention

DECONSTRUIRE LES MYTHES





Les étudiants en journalisme (n=71) pensent que

Les personnes qui se suicident sont égoïstes



Les personnes qui se suicident sont faibles





TRAITER L'INFORMATION AVEC JUSTESSE

Modélisation de l'effet de l'application de recommandations à usage des médias pour le traitement médiatique du suicide

CE Notredame et al.

Encéphale, juin 2016

RECOMMANDATIONS

Traitements sensibles et responsables

Justesse de l'information
Déconstruction des mythes

Modèle normatif implicite d'une résolution de crise

Mise à disposition de ressources pratiques

Stéréotypes

Préjugés

Stigma (auto et hétéro)

Théorie de l'apprentissage

Facilitation et incitation à la demande d'aide


Accès aux ressources d'aide

EFFET WERTHER

Moindre augmentation de la morbi-mortalité suicidaire

EFFET PAPAGENO


INDUIRE L'IDENTIFICATION



« Je est un autre », Arthur Rimbaud

« Soi-même comme un autre », Paul Ricœur

Merci de votre attention





ASSOCIATION LILLOISE DE L'INTERNAT
& DU POST-INTERNAT EN PSYCHIATRIE

GEPS

GROUPEMENT D'ÉTUDES ET
DE PRÉVENTION DU SUICIDE

Sous
l'égide Avec le
soutien de



papageno@santementale5262.com



papageno_medias



www.papageno-suicide.com